

A

B

C

D

E

F

1

1

2

2

3

3

4

4

5

A


B

C

D

E

F

JKUN			TITLE:	
GENERAL TOLERANC		USE:	PART NO.:	
X. ±0.50	X. ±5°	APPD:	DWG NO.:	
X.X ±0.30	X.X ±2°	CHKD:	SCALE	
X.XX ±0.20	X.XX ±1°	DR:	SHEET	
 UNITS: mm				

A

B

C

D

E

F

1

1

2

2

3

3

4

4

5

JKUN 温州健坤接插件有限公司 WENZHOU JKUN CONNECTOR CO.,LTD.		TITLE: 2.00mm pitch 90°Wafe PIP type
GENERAL TOLERANCE		USE: CUSTOMER
X. ±0.50	X. ±5°	APPD: Shaojinghe
X.X ±0.30	X.X ±2°	CHKD: Fangsongle
X.XX ±0.20	X.XX ±1°	DR: Zenglingqing
	UNITS: mm	SCALE: 1 : 1
		PART NO.: T2001AWD-**-F1CA2-R
		DWG NO.: JKUN-GCKH-0927
		SHEET: 1 / 1

A

B

C

D

E

F

A

B

C

D

E

F

1

1

2

2

3

3

4

4

5

5

1

:

50PGS

2

PE

RHS

.

A

B

C

D

E

F

